Cavalier Crows

A Free Project Sheet
NOT FOR RESALE

By Jan Mott



Bench Pillow



Runner

(Bench Pillow & Runner)

Skill Level: Advanced Beginner





facebook.

Finished Runner Size: 42 ¾" x 18" Finished Bench Pillow Size: 46" x 26" 49 West 37th Street, New York, NY 10018 tel: 212-686-5194 fax: 212-532-3525


Toll Free: 800-294-9495 www.henryglassfabrics.net

Please check our website for pattern updates before starting this project.

CAVALIER CROWS Finished Bench 1 Bench Pillow & Runner

Fabrics in the Collection





Oatmeal 2532-33



Green 2532-66



2532-99

Page 3

Bench Pillow Materials

1 panel	Novelty Blocks - Brown (A)	2814P-38
⅓ yard	Jan's Bias Weave Basics - Green (B)	2532-66
1/4 yard	Star Vines - Tan (C)	2809-32
½ yard	Jan's Bias Weave Basics - Black (D)	2532-99
½ yard	Star Vines - Black (E)	2809-99
½ yard	Jan's Bias Weave Basics - Oatmeal (F)	2532-33
1 ½ yards	Checks - Cream/Black (Backing)	2810-99

You will also need:

• Poly fill

Bench Pillow Cutting Instructions

Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

From the Novelty Blocks - Brown (A):

• Fussy cut (3) 9 ½" x 12 ½" rectangles, each centered on a block.

From the Jan's Bias Weave Basics - Green (B), cut:

• (4) 2" x WOF strips. Sub-cut (12) 2" x 12 ½" strips.

From the Star Vines - Tan (C), cut:

- (2) 1 ³/₄" x 36" WOF strips.
- (2) 1 ½" x WOF strips. Sub-cut (4) 1 ½" x 14" strips.

From the Jan's Bias Weave Basics - Black (D), cut:

- (1) 1 ³/₄" x WOF strip. Sub-cut (2) 1 ³/₄" x 16 ¹/₂" strips.
- (2) 1 ½" x 38 ½" WOF strips.
- (2) 1 ½" x 24 ½" WOF strips.
- (3) 1 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 1 ½" x 46 ½" strips.

From the Star Vines - Black (E), cut:

• (9) 1 ½" x WOF strips.

From the Jan's Bias Weave Basics - Oatmeal (F), cut:

• (9) 1 ½" x WOF strips.


From the Checks - Cream/Black (Backing), cut:

• (1) $46 \frac{1}{2}$ " x $26 \frac{1}{2}$ " strip for the backing.

Bench Pillow Block Assembly

Note: The arrows in figures represent the fabric print direction. Pay attention to the fabric and unit orientations when assembling the various components. Use a 1/4" seam allowance with right sides together (RST) unless otherwise noted.

1. Sew (1) 2" x 12 ½" Fabric B strip to each side of (1) 9 ½" x 12 ½" Fabric A rectangle. Sew (1) 2" x 12 ½" Fabric B strip to the top and to the bottom of the Fabric A rectangle to make (1) Block One rectangle (Fig. 1). Trim the block to measure 11" x 14". Repeat to make (3) Block One rectangles total.



2. Sew together (4) 1 ½" x 14" Fabric C strips and (3) Block One rectangles, lengthwise and alternating them from left to right. Sew (1) 1 3/4" x 36" Fabric C strip to the top and to the bottom of the newly sewn strip to make the Bench Pillow Center Block (Fig. 2 below).






Fig. 2

Page 4


- 3. Sew (1) 1 ½" x WOF Fabric E strip to each side of (1) 1 ½" x WOF Fabric F strip lengthwise to make (1) Strip Set 1 (Fig. 3). Repeat to make (3) Strip Set 1's total.
- 4. Cut the (3) Strip Set 1's into (62) 1 ½" x 3 ½" Unit 1 strips (Fig. 4).



- 5. Sew (1) 1 ½" x WOF Fabric F strip to each side of (1) 1 ½" x WOF Fabric E strip lengthwise to make (1) Strip Set 2 (Fig. 5). Repeat to make (3) Strip Set 2's total.
- 6. Cut the (3) Strip Set 2's into (62) 1 ½" x 3 ½" Unit 2 strips (Fig. 6).



- 7. Sew together (9) Unit 1 strips and (9) Unit 2 strips, lengthwise and alternating them from top to bottom, to make the Left Side Border (Fig. 7).
- 8. Sew together (9) Unit 2 strips and (9) Unit 1 strips, lengthwise and alternating them from top to bottom, to make the Right Side Border (Fig. 8).



- 9. Sew together (22) Unit 2 strips and (22) Unit 1 strips, lengthwise and alternating them from left to right, to make the Top Border (Fig. 9).
- 10. Sew together (22) Unit 1 strips and (22) Unit 2 strips, lengthwise and alternating them from left to right, to make the Bottom Border (Fig. 10).





Fig. 10

Page 5

Bench Pillow Assembly (Follow the Bench Pillow Layout in Figure 11 while assembling the bench pillow.)

- 11. Sew (1) 1 ³/₄" x 16 ¹/₂" Fabric D strip to each side of the Bench Pillow Center Block. Sew (1) 1 ½" x 38 ½" Fabric D strip to the top and to the bottom of the Center Block.
- 12. Sew the Left Side Border and Right Side Border to the left and right sides of the Bench Pillow Center Block.
- 13. Sew the Top Border and Bottom Border to the top and to the bottom of the Bench Pillow Center Block.
- 14. Sew (1) 1 ½" x 24 ½" Fabric D strip to each side of the Bench Pillow Center Block. Sew (1) 1 ½" x 46 ½" Fabric D strip to the top and to the bottom of the Bench Pillow Center Block to make the Bench Pillow Top.
- 15. Place Bench Pillow Top and 46 ½" x 26 ½" Backing strip right sides together. Sew around all four sides leaving a 3"- 4" opening for turning.
- 16. Turn pillow right sides out through the opening. Stuff pillow with poly fill and stitch the opening closed to complete.




Fig. 11

Page 6

Runner Materials

1 panel	Novelty Blocks - Brown (A)	2814P-38
⅓ yard	Jan's Bias Weave Basics - Green (B)	2532-66
⅓ yard	Wild Flower Calico - Gold (C)	2811-33
½ yard	Jan's Bias Weave Basics - Black (D)	2532-99*
1/4 yard	Checks - Cream/Black (E)	2810-99
1 ½ yards	Daisies - Black (Backing)	2808-99

^{*}Includes binding

Runner Cutting Instructions

Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

From the Novelty Blocks - Brown (A):

• Fussy cut (3) 9 ½" x 12 ½" rectangles, each centered on a block.

From the Jan's Bias Weave Basics - Green (B), cut:

• (4) 2" x WOF strips. Sub-cut (12) 2" x 12 ½" strips.

From the Wildflower Calico - Gold (C), cut:

- (2) 1 ³/₄" x 35 ¹/₄" WOF strips.
- (1) 1 3/8" x WOF strip. Sub-cut (2) 1 3/8" x 14" strips.
- (1) 1 1/4" x WOF strip. Sub-cut (2) 1 1/4" x 14" strips.

From the Jan's Bias Weave Basics - Black (D), cut:

- (1) 1 ½" x WOF strip. Sub-cut (2) 1 ½" x 16 ½" strips.
- (2) 1 ½" x 37 ¼" WOF strips.
- (4) 2 ½" x WOF strips for the binding.

From the Checks - Cream/Black (E), cut:

• (1) 3 ½" x WOF strip. Sub-cut (2) 3 ½" x 18 ½" strips.


From the Daisies - Black (Backing), cut:

• (1) 51" x 26" WOF strip for the backing.

Runner Block Assembly

Note: The arrows in figures represent the fabric print direction. Pay attention to the fabric and unit orientations when assembling the various components. Use a ¼" seam allowance with right sides together (RST) unless otherwise noted.

17. Sew (1) 2" x 12 ½" Fabric B strip to each side of (1) 9 ½" x 12 ½" Fabric A rectangle. Sew (1) 2" x 12 ½" Fabric B strip to the top and to the bottom of the Fabric A rectangle to make (1) Block Two rectangle (Fig. 12). **Trim the block to measure 11" x 14".** Repeat to make (3) Block Two rectangles total.



18. Sew together (1) 1 3/8" x 14" Fabric C strip, (1) Block Two rectangle, (1) 1 1/4" x 14" Fabric C strip, (1) Block Two rectangle, (1) 1 1/4" x 14" Fabric C strip, (1) Block Two rectangle and (1) 1 3/8" x 14" Fabric C strip, in that order from left to right. Sew (1) 1 3/4" x 35 1/4" Fabric C strip to the top and to the bottom of the newly sewn strip to make the Runner Center Block (Fig. 13 below).




Fig. 13

Page 7

- 19. Sew (1) 1 ½" x 16 ½" Fabric D strip to each side of the Runner Center Block. Sew (1) 1 ½" x 37 ¼" Fabric D strip to the top and to the bottom of the Runner Center block (Fig. 14).
- 20. Sew (1) 3 ½" x 18 ½" Fabric E strip to each side of the Runner Center Block to make the Runner Top (Fig. 14).
- 21. Layer and quilt as desired.
- 22. Sew the (4) 2 ½" x WOF Fabric D strips together, end to end with 45-degree seams, to make the binding. Fold this long strip in half lengthwise with wrong sides together and press.
- 23. Bind as desired.




Fig. 14